

	CETESB - COMPANHIA AMBIENTAL DO ESTADO DE SÃO PAULO Address Av. Prof. Frederico Hermann Jr., 345 - CEP 05459-900 – Alto de Pinheiros - São Paulo-SP Phone 55 11 3133-3239 – Fax 55 11 3133-3250 – BRAZIL CNPJ 43.776.491/0001-70 – INSCR. ESTADUAL 109.091.375.118 – INSCR. MUNIC. 8.030.313-7	DATE: December, 18 2025	P.O 079442
---	--	-----------------------------------	----------------------

PURCHASE ORDER; This purchase order is linked to contract 079442 and bidding process nº 19/2025/302

YOUR REF	OUR REF.	VALIDITY FOR SHIPMENT
Proformas Invoices B265865 - 2025 Nov. 28	CT. 079442 YSI (LIC 19/2025/302)	
EXPORTER/MANUFACTURER: YSI INCORPORATED		
ADDRESS: 1725 Brannum Lane – Yellow Springs, OH 45387 Phone: 937 767-7241 Fax 937 767-1058 E-mail: pierre.sterling@xylem.com		
REPRESENTATIVE:		
CLEAN ENVIRONMENT BRASIL ENGENHARIA LTDA. Estrada Municipal Governador Mario Covas , 641 – Valinhos/SP Phone: +55 19 3794.2900 +55 19 3794.2901 Email: a.caramello@clean.com.br		

OUR CODIFICATION	QUANTITY	DESCRIPTION	UNIT VALUE (USD)	TOTAL (USD)
4.3.11.0044-4	21	REF. 577602 - EXO ISE02 pH Sensor Assembly, Unguarded, Ti - Patented user replaceable sensor head - Incorporates wet-mate connector and welded titanium housing	745.20	15,649.20
4.3.11.0044-4	63	Ref. 626793 - EXO pH Sensor Replacement Module, Un-Guarded - User replaceable tip for 577602 (ISE02)	222.53	14,019.39
4.3.11.0044-4	7	Ref.599100-01 EXO Optical DO Sensor, Ti - Compatible with any EXO sonde- User replaceable sensor cap (installed) -Incorporates wet-mate connector and welded titanium housing	2,349.45	16,446.15
4.3.11.0044-4	8	Ref.599827 EXO Wiped Conductivity/Temperature Sensor- Purpose-built for combating sensor fouling in long-term monitoring applications - Designed and engineered for compatibility with EXO2 Sonde's Central Wiper- Additional Central Wiper Brush and Spacing Kit included	1,976.85	15,814.80
4.3.11.0044-4	7	Ref. 599101-01 EXO Turbidity Sensor, Ti- Compatible with any EXO sonde- Wide range Sensor reads from 0-4000 FNU- Incorporates wet-mate connector and welded titanium housing	2,168.33	15,178.31
4.3.11.0044-4	10	Ref. 599090-01 EXO Central Wiper, EXO2, EXO3, Ti- Installs in center wiper port on EXO 2 and EXO 3 only - Includes 2 wiper brushes and installation tool - Used in unattended monitoring deployments to reducebiofoulin	1,469.70	14,697.00
4.3.11.0044-4	63	Ref.599673 EXO Central Wiper Brush Kit- Includes 1 wiper brush, screws and wrench	80.73	5,085.99
TOTAL VALUE (Ex Works)				96,890.84

TOTAL VALUE IN FULL			Página: 171	
(NINETY-SIX THOUSAND EIGHT HUNDRED AND NINETY US DOLLARS AND EIGHTY-FOUR CENTS CENTS)				
SHIP TO:CETESB – COMPANHIA AMBIENTAL DO ESTADO DE SÃO PAULO – CNPJ 43.776.491/0001-70				
Address: Av. Professor Frederico Hermann Jr., 345 – Alto de Pinheiros – CEP 05459-900 – SÃO PAULO - SP – BRAZIL				
C/O: Mr. José Élio de Souza				
PHONE 55+11+3133-3239 - FAX 55+11+3133-3250				
• E-MAIL: jesouza@sp.gov.br				
TERM OF PAYMENT				
Net 30 days				
DELIVERY TIME				
Up 60 days after acceptance of the Purchase Order				
IMPORT DEPARTMENT		APPROVAL:	APPROVAL:	ACKNOWLEDGEMENT AGREEMENT
MARIANA TAKEISHI Purchasing and Import Manager	Import Sector	FERNANDO ROBERTO SETTE Supply Division Manager	CELSO MASSARI Department of Supplies and Administrative Services Manager	



Assinaturas do documento



"PO 79442 Ordem de embarque"

Código para verificação: **5V5W6G1L**

Este documento foi assinado digitalmente pelos seguintes signatários nas datas indicadas:



CELSO MASSARI (CPF: ***.998.588-**) em 18/12/2025 às 16:28:58 (GMT-03:00)

Emitido por: "e-ambiente", emitido em 27/10/2025 - 10:10:34 e válido até 27/10/2028 - 10:10:34.

(Assinatura do Sistema)



FERNANDO ROBERTO SETTE (CPF: ***.564.258-**) em 18/12/2025 às 12:02:49 (GMT-03:00)

Emitido por: "e-ambiente", emitido em 27/10/2025 - 14:02:22 e válido até 27/10/2028 - 14:02:22.

(Assinatura do Sistema)



MARIANA TAKEISHI (CPF: ***.118.408-**) em 18/12/2025 às 10:28:59 (GMT-03:00)

Emitido por: "e-ambiente", emitido em 31/10/2025 - 08:09:34 e válido até 31/10/2028 - 08:09:34.

(Assinatura do Sistema)

Para verificar a autenticidade desta cópia, acesse o link

<https://e.ambiente.sp.gov.br/atendimento/conferenciaDocumentos> e informe o processo **CETESB.045376/2025-86** e o código **5V5W6G1L** ou aponte a câmera para o QR Code presente nesta página para realizar a conferência.