

Relatório de Volume - Interseção SC-355

Estaca	Área de Corte (m²)	Volume de Corte (m³)	Volume Reutilizável (m³)	Área de Aterro (m²)	Volume de Aterro (m³)	Volume Acumulado de Corte (m³)	Volume Acumulado Reutilizável (m³)	Volume Acumulado de Aterro (m³)	Volume Líquido (m³)
86+653.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
86+660.00	2.15	6.97	6.97	0.73	2.33	6.97	2.33	2.33	4.63
86+670.00	1.77	19.59	19.59	1.26	9.76	26.56	12.09	12.09	14.46
86+678.11	1.57	13.59	13.59	1.60	11.37	40.14	23.46	23.46	16.68
86+684.98	1.18	9.52	9.52	1.25	9.61	49.66	33.07	33.07	16.60
86+690.00	1.23	6.07	6.07	1.00	5.64	55.74	38.71	38.71	17.03
86+700.00	0.98	11.06	11.06	0.79	8.94	66.79	47.64	47.64	19.15
86+711.95	1.13	12.58	12.58	0.75	9.19	79.37	56.83	56.83	22.54
86+718.26	1.07	6.87	6.87	1.43	6.70	86.24	63.52	63.52	22.72
86+720.00	1.10	1.88	1.88	1.05	2.15	88.12	65.67	65.67	22.45
86+724.58	0.93	4.63	4.63	1.34	5.47	92.76	71.14	71.14	21.61
86+730.00	0.95	5.08	5.08	0.53	5.06	97.84	76.20	76.20	21.63
86+735.18	0.90	4.79	4.79	0.67	3.10	102.63	79.30	79.30	23.32
86+740.00	1.10	4.83	4.83	1.08	4.21	107.45	83.52	83.52	23.94
86+750.00	1.52	12.95	12.95	2.70	18.34	120.41	101.85	101.85	18.55
86+760.00	1.85	16.70	16.70	0.00	13.07	137.11	114.92	114.92	22.19
86+763.77	1.57	6.44	6.44	0.61	1.16	143.55	116.08	116.08	27.47
86+768.50	1.90	8.20	8.20	11.72	29.16	151.76	145.25	145.25	6.51
86+773.75	1.44	8.77	8.77	45.23	149.40	160.53	294.65	294.65	-134.11
86+780.00	0.72	6.76	6.76	24.92	210.60	167.29	505.25	505.25	-337.96
86+782.90	0.83	2.24	2.24	30.48	80.33	169.53	585.58	585.58	-416.05
86+784.10	1.18	1.20	1.20	34.71	38.99	170.73	624.57	624.57	-453.84
86+787.90	0.86	3.88	3.88	26.71	116.80	174.61	741.37	741.37	-566.76
86+792.36	0.99	4.12	4.12	0.19	60.01	178.73	801.38	801.38	-622.65
86+800.00	1.10	7.97	7.97	0.04	0.87	186.70	802.25	802.25	-615.55
86+803.55	1.23	4.13	4.13	0.00	0.08	190.83	802.32	802.32	-611.49
86+810.00	1.27	8.05	8.05	0.13	0.43	198.88	802.76	802.76	-603.88
86+814.58	1.26	5.80	5.80	0.10	0.53	204.68	803.29	803,29	-598,61

0+000.00	4.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0+005.00	19.63	63.04	63.04	2.33	5.54	63.04	5.54	5.54	57.51
0+010.00	11.37	77.60	77.60	0.34	4.81	140.64	10.34	10.34	130.30
0+015.00	6.68	34.00	34.00	0.42	3.01	174.64	13.35	13.35	161.29
0+020.00	6.47	25.69	25.69	0.24	2.26	200.33	15.61	15.61	184.71
0+025.00	6.65	27.52	27.52	0.02	0.84	227.85	16.46	16.46	211.39
0+030.00	6.91	29.99	29.99	0.00	0.07	257.84	16.53	16.53	241.31
0+032.14	7.06	13.70	13.70	0.00	0.00	271.54	16.53	16.53	255.01
0+035.00	7.35	20.59	20.59	0.00	0.00	292.14	16.53	16.53	275.60
0+040.00	7.81	37.90	37.90	0.00	0.00	330.03	16.53	16.53	313.50
0+045.00	8.43	40.58	40.58	0.00	0.00	370.61	16.53	16.53	354.08
0+050.00	8.78	43.02	43.02	0.00	0.00	413.63	16.53	16.53	397.10
0+055.00	8.36	42.85	42.85	0.00	0.00	456.48	16.53	16.53	439.95
0+060.00	7.60	39.90	39.90	0.00	0.00	496.38	16.53	16.53	479.85
0+065.65	6.53	39.91	39.91	0.00	0.00	536,29	16,53	16,53	519,76
						740,97		819,82	-78,85

MAX
MOOSHAMME
R:0694404691

1

Assinado digitalmente por MAX
MOOSHAMMER:06944046911
ND: C=BR, O=ICP-Brasil, OU=Secretaria da
Receita Federal do Brasil - RFB, OU=RFB e-
CPF A3, OU=(EM BRANCO), OU=
83729848000183, OU=videoconferencia,
CN=MAX MOOSHAMMER:06944046911
Razão: Eu revisei este documento
Localização:
Data: 2026.02.03 08:34:06-0300'
Foxit PDF Reader Versão: 2025.2.0