









Forma do pavimento 4º PAVIMENTO (Nível 1150)
escala 1:50



Nome	Quantidade	Unidade	Valor
V1	1	m	1.00
V2	1	m	1.00
V3	1	m	1.00
V4	1	m	1.00
V5	1	m	1.00
V6	1	m	1.00
V7	1	m	1.00
V8	1	m	1.00
V9	1	m	1.00
V10	1	m	1.00
V11	1	m	1.00
V12	1	m	1.00
V13	1	m	1.00
V14	1	m	1.00
V15	1	m	1.00
V16	1	m	1.00
V17	1	m	1.00
V18	1	m	1.00

Nome	Quantidade	Unidade	Valor
V1	1	m	1.00
V2	1	m	1.00
V3	1	m	1.00
V4	1	m	1.00
V5	1	m	1.00
V6	1	m	1.00
V7	1	m	1.00
V8	1	m	1.00
V9	1	m	1.00
V10	1	m	1.00
V11	1	m	1.00
V12	1	m	1.00
V13	1	m	1.00
V14	1	m	1.00
V15	1	m	1.00
V16	1	m	1.00
V17	1	m	1.00
V18	1	m	1.00

Características das estruturas	Valor
Quantidade	1.00
Valor	1.00



Corte A-A
escala 1:50

EDSON
DIEL LOPES

SERVIÇOS DE
ENGENHARIA
E ARQUITETURA

INSTITUCIONAL PRÉDIO DA POLAR




ESTRUTURA DO 4º PAVIMENTO

PROPRIETÁRIO: EDSON DIEL LOPES

PROJETO: EDSON DIEL LOPES

01




ANEXO 0001



Nome	Sessão (min)	Idade (anos)	Nível (1-5)
V1	25:40	0	0:05
V2	25:40	0	0:05
V3	25:40	0	0:05
V4	25:40	0	0:05
V5	25:40	0	0:05
V6	25:40	0	0:05
V7	15:40	0	0:05
V8	15:40	0	0:05
V9	20:40	0	0:05
V10	20:40	0	0:05
V11	20:40	0	0:05
V12	20:40	0	0:05
V13	20:40	0	0:05
V14	15:40	0	0:05
V15	20:40	0	0:05
V16	20:40	0	0:05
V17	15:40	0	0:05
V18	32:40	0	0:05
V19	32:40	0	0:05
V20	20:40	0	0:05
V21	20:40	0	0:05
V22	15:40	0	0:05
V23	15:40	0	0:05
V24	20:40	0	0:05
V25	20:40	0	0:05
V26	20:40	0	0:05
V27	20:40	0	0:05
V28	20:40	0	0:05
V29	20:40	0	0:05
V30	20:40	0	0:05
V31	20:40	0	0:05
V32	20:40	0	0:05
V33	20:40	0	0:05
V34	20:40	0	0:05
V35	20:40	0	0:05
V36	20:40	0	0:05
V37	20:40	0	0:05
V38	20:40	0	0:05
V39	20:40	0	0:05
V40	20:40	0	0:05
V41	20:40	0	0:05

Line	Type	Lat (J2000)	Long (J2000)	Dist (kpc)	Velocity (km/s)	Age (Myr)
L1	Star	12	0	0.005	0	0
L2	Star	12	0	0.005	0	0
L3	Star	12	0	0.005	0	0
L4	Star	12	0	0.005	0	0
L5	Star	12	0	0.005	0	0
L6	Star	12	0	0.005	0	0
L7	Star	12	0	0.005	0	0
L8	Star	12	0	0.005	0	0
L9	Star	12	0	0.005	0	0
L10	Star	12	0	0.005	0	0
L11	Star	12	0	0.005	0	0
L12	Star	12	0	0.005	0	0
L13	Star	12	0	0.005	0	0
L14	Star	12	0	0.005	0	0
L15	Star	12	0	0.005	0	0
L16	Star	12	0	0.005	0	0
L17	Star	12	0	0.005	0	0
L18	Star	12	0	0.005	0	0
L19	Star	12	0	0.005	0	0
L20	Star	12	0	0.005	0	0
L21	Star	12	0	0.005	0	0
L22	Star	12	0	0.005	0	0
L23	Star	12	0	0.005	0	0
L24	Star	12	0	0.005	0	0
L25	Star	12	0	0.005	0	0
L26	Star	12	0	0.005	0	0
L27	Star	12	0	0.005	0	0
L28	Star	12	0	0.005	0	0
L29	Star	12	0	0.005	0	0
L30	Star	12	0	0.005	0	0
L31	Star	12	0	0.005	0	0
L32	Star	12	0	0.005	0	0
L33	Star	12	0	0.005	0	0
L34	Star	12	0	0.005	0	0
L35	Star	12	0	0.005	0	0
L36	Star	12	0	0.005	0	0
L37	Star	12	0	0.005	0	0
L38	Star	12	0	0.005	0	0
L39	Star	12	0	0.005	0	0
L40	Star	12	0	0.005	0	0
L41	Star	12	0	0.005	0	0
L42	Star	12	0	0.005	0	0
L43	Star	12	0	0.005	0	0
L44	Star	12	0	0.005	0	0
L45	Star	12	0	0.005	0	0
L46	Star	12	0	0.005	0	0
L47	Star	12	0	0.005	0	0
L48	Star	12	0	0.005	0	0
L49	Star	12	0	0.005	0	0
L50	Star	12	0	0.005	0	0
L51	Star	12	0	0.005	0	0
L52	Star	12	0	0.005	0	0
L53	Star	12	0	0.005	0	0
L54	Star	12	0	0.005	0	0
L55	Star	12	0	0.005	0	0
L56	Star	12	0	0.005	0	0
L57	Star	12	0	0.005	0	0
L58	Star	12	0	0.005	0	0
L59	Star	12	0	0.005	0	0
L60	Star	12	0	0.005	0	0

Características dos materiais	
fix (kg/cm ²)	fix (kg/cm ²)
350	209/228



Forma do pavimento 3° PAVIMENTO
escala 1:50

